

TELEHEALTH & OCCUPATIONAL THERAPY

DR. MARY SCHMITZ, OTD, OT/L

FOUNDING CHAIR OF THE ARIZONA
TELEHEALTH SPECIAL INTEREST SECTION

MARCH 27, 2023

ARIZONA TELEMEDICINE PROGRAM

OBJECTIVES



UNDERSTAND THE BREADTH
OF POPULATIONS, DIAGNOSES, &
SERVICES
THAT CAN BE DELIVERED BY
OCCUPATIONAL THERAPY
PRACTITIONERS
VIA TELEHEALTH




BECOME AWARE OF
VARIABLE APPROACHES
TO PROVIDING CLIENT
CENTERED TREATMENT
VIA
OCCUPATIONAL THERAPY



RECOGNIZE NOT ONLY
CURRENT RESEARCH, BUT
AREAS WARRANTING
FURTHER RECOGNITION
SUPPORTING THE
EFFECTIVENESS OF
OCCUPATIONAL THERAPY
INTERVENTIONS VIA
TELEHEALTH

DEFINITION: O.T.

- Routines, habits, roles
- Needs, wants
- Meaningful
- Adaptive
- Context specific





WHO CAN BENEFIT?



- Youth/Children
- Adults
- Individuals
- Families
- Populations



- Developmental
- Behavioral Health
- Physical Rehab
- Environmental
- Health & Wellness
- Educational-Training



APPLICATIONS



This Photo by Unknown Author is licensed under [CC BY-NC](#)

RESEARCH

- ❑ EVIDENCE BASED
- ❑ OUTCOME DRIVEN
- ❑ CLIENT CENTERED

Effectiveness School-Based


- ❑ Virtual services to charter schools
- ❑ Focused upon fine motor/visual motor
- ❑ Occupation of handwriting
- ❑ Kinesthetic activities
- ❑ Learning coach
- ❑ Positive outcomes & satisfaction



[View of School-based Telerehabilitation In Occupational Therapy: Using Telerehabilitation Technologies to Promote Improvements in Student Performance \(pitt.edu\)](#)

RESEARCH

- EVIDENCE BASED
- OUTCOME DRIVEN
- CLIENT CENTERED




[View of Telehealth for the Provision of Occupational Therapy: Reflections on Experiences During the COVID-19 Pandemic \(pitt.edu\)](#)

RESEARCH

- EVIDENCE BASED
- OUTCOME DRIVEN
- CLIENT CENTERED

Percentages of Intervention Effectiveness



[View of Telehealth for the Provision of Occupational Therapy: Reflections on Experiences During the COVID-19 Pandemic \(pitt.edu\)](#)

RESEARCH

- EVIDENCE BASED
- OUTCOME DRIVEN
- CLIENT CENTERED

Hip Fracture & Fear of Falling

- Virtual hybrid model
- Mobility outcome measure scores
- Engagement in meaningful activities
- Mood/psychosocial concerns: Fear & Quality of Life
- Movement sensors




[Effectiveness of sensor monitoring in an occupational therapy rehabilitation program for older individuals after hip fracture, the SO-HIP trial: study protocol of a three-arm stepped wedge cluster randomized trial | BMC Health Services Research | Full Text \(biomedcentral.com\)](#)

RESEARCH

- ❑ EVIDENCE BASED
- ❑ OUTCOME DRIVEN
- ❑ CLIENT CENTERED

Parent Wellness Program

- ❑ Virtual social support & health promoting education
- ❑ Grounded in the 8 Dimensions of Wellness & the PERMA Model of Wellbeing



RESEARCH

- ❑ EVIDENCE BASED
- ❑ OUTCOME DRIVEN
- ❑ CLIENT CENTERED

Family-Centered Intervention

- ❑ Virtual support facilitating a collaborative relationship of caregivers with therapist
- ❑ Means to build caregiver confidence
- ❑ Met the needs of families as compatible with their daily life
- ❑ Problem solving immediately applicable in the home

[Parent Perspectives of an Occupational Therapy Telehealth Intervention](#)

[Occupational Disruption: The influence of the COVID-19 Pandemic...](#)

RESEARCH

- ❑ EVIDENCE BASED
- ❑ OUTCOME DRIVEN
- ❑ CLIENT CENTERED

RISE (Re-invent, Integrate, Strengthen, Expand)

- ❑ Virtual 1:1 health-self management
- ❑ Educates & empowers
- ❑ Behavioral strategies
- ❑ Healthy habits & routines
- ❑ Function in valued activities



[This Photo](#) by
Unknown Author
is licensed under
[CC BY-SA-NC](#)

RESEARCH

- ❑ EVIDENCE BASED
- ❑ OUTCOME DRIVEN
- ❑ CLIENT CENTERED

Bone Marrow Transplant

- ❑ Virtual interactions for closed inpt unit
- ❑ Prevent deconditioning: Mobility outcome measure scores
- ❑ Engagement in meaningful activities
- ❑ Mood/psychosocial concerns
- ❑ OT/PT Joint programming with nursing



RESEARCH

- ❑ EVIDENCE BASED
- ❑ OUTCOME DRIVEN
- ❑ CLIENT CENTERED

Bone Marrow Transplant

- ❑ Effective for immunocompromised population during prolonged hospitalization
- ❑ Motivational Interviewing

The Johns Hopkins Highest Level of Mobility Scale (JH-HLM)

		Score
WALK	250+ FEET	8
	25+ FEET	7
	10+ STEPS	6
STAND	1 MINUTE	5
CHAIR	TRANSFER	4
BED	SIT AT EDGE	3
	TURN SELF / BED ACTIVITY	2
	LYING	1

Report of what the patient ACTUALLY DID (Observation)

AM-PAC Medicare Outpatient Basic Mobility Form
 Boston University AM-PAC™
 Medicare Outpatient Basic Mobility Short Form (DOTPA)
 Please check the box that reflects your (the patient's) best answer to each question.

How much DIFFICULTY do you currently have... (If you have not done an activity recently, how much difficulty do you think you would have if you tried?)

	Unable	A Lot	A Little	None
1. Moving from sitting at the side of the bed to lying down on your back?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Moving up in bed (e.g., reposition self)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Standing for at least one minute?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Sitting down in an armless straight chair (e.g., dining room chair)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Standing up from an armless straight chair (e.g., dining room chair)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Getting into an out of a car/taxi (sedan)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Walking around on one floor, taking into consideration thresholds, doors, furniture, and a variety of floor coverings?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Going up and down a flight of stairs inside, using a handrail?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Bending over from a standing position to pick up a piece of clothing from the floor without holding onto anything?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Walking several blocks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Walking up and down steep unpaved inclines (e.g., steep gravel driveway)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12. Carrying something in both arms while climbing a flight of stairs (e.g., laundry basket)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

How much HELP from another person do you currently need... (If you have not done an activity recently, how much help do you think you would need if you tried?)

	Unable	A Lot	A Little	None
13. Moving to and from a bed to a chair (including a wheelchair)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14. Do you also use a wheelchair to get around?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Without help from another person, when you are using your wheelchair, how much DIFFICULTY do you currently have... (If you have not done an activity recently, how much difficulty do you think you would have if you tried?)

	Unable	A Lot	A Little	None
15. Moving around within one room, including making turns in a wheelchair?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16. Opening a door away from a wheelchair?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17. Opening a door toward a wheelchair?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18. Transferring between a wheelchair and other seating surfaces, such as a chair or bed?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19. Propelling/driving a wheelchair several blocks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Raw Score: _____ CMS 0-100% Score: _____
 Standardized Score: _____ CMS Modifier: _____

RESEARCH

- ❑ EVIDENCE BASED
- ❑ OUTCOME DRIVEN
- ❑ CLIENT CENTERED

Home Health Care

- ❑ Cost Containment
- ❑ Chronic Conditions
- ❑ Functional Status
- ❑ Hybrid model



[Telehealth and Home Health Occupational Therapy: Clients' Perceived Satisfaction With and Perception of Occupational Performance](#)



DIRECTIONS: WHERE WE ARE, WHAT'S AHEAD...

- Reimbursement vs Direct Pay
- OT Compact
- Telehealth Legislation
 - Expanded Telehealth Access Act (HR2168/S3193)
 - Telehealth Modernization Act
 - HB 2454
 - CONNECT 2.0

a new direction...



Questions?



Dr. Mary Schmitz, OTD, OT/L, ECHM
marypediatrictot@gmail.com

REFERENCES

- American Occupational Therapy Association. (2020). Occupational therapy practice framework: Domain and process (4th ed.). *American Journal of Occupational Therapy*, 47(Suppl. 2), 7412410010.
<https://doi.org/10.5014/ajot.2020.74S2001>
- Arizona Telemedicine Program. (2022, September 27). Occupational and physical therapy webinar series: Telehealth policies affecting PT and OT practitioners under COVID and beyond. Retrieved from https://telemedicine.arizona.edu/sites/default/files/webinar_files/Arizona%20Telehealth%20Presentation_APTA_AOTA.pdf
- Bopp, A. (2022, March 10). Congress extends occupational therapy telehealth waivers for 151 days beyond expiration of PHE. Retrieved from <https://www.aota.org/advocacy/advocacy-news/2022/omnibus-telehealth-extension>
- Cedars Sinai Medical Center. (n. d.). RISE- (Re-invent, Integrate, Strengthen, Expand). [Flyer received from Dr. Alix Sleight Warner, PhD, OTD, MPH, OTR/L]
- Criss, M. J. (2013). School-based telerehabilitation in occupational therapy: Using telerehabilitation technologies to promote improvements in student performance. *International Journal of Telerehabilitation*, 5(1), 39-46.
<https://doi.org/10.5195/ijt.2013.6115>

REFERENCES

- Dahl-Popolizio, S., Carpenter, H., Coronado, M., Popolizio, N. J., & Swanson, C. (2020). Telehealth for the provision of occupational therapy: Reflections on experiences during the COVID-19 pandemic. *International Journal of Telerehabilitation*, 2, 77-92. <https://doi.org/10.5195.ijt.2020.6328>
- Dahl-Popolizio, S., Carpenter, H., Coronado, M., Popolizio, N. J., & Swanson, C. (2020). The road to research: Telehealth SIS Presentation [PowerPoint]. ArizOTA Virtual Telehealth Special Interest Section Monthly Meeting, November.
- Dallman, A. R., Perry, C., Goldblum, J., Butera, N. M., Boyd, B., & Harrop, C. (2022). Occupational Disruption: The Influence of the COVID-19 Pandemic on the Behavioral Inflexibility and Anxiety of Autistic Children. *The Open Journal of Occupational Therapy*, 10(3), 1-13. <https://doi.org/10.15453/2168-6408.1953>
- Kaya, S., Sain Guven, G., Aydan, S., Kar, A., Teleş, M., Yıldız, A., Koca, G. Ş., Kartal, N., Korcu, C., & Ürek, D. (2018). Patients' readiness for discharge: Predictors and effects on unplanned readmissions, emergency department visits and death. *Journal of Nursing Management*, 26(6), 707-716. <https://doi.org/10.1111/jonm.12605>
- Kim, R. & Rowe, C. (2021). Telehealth on the BMT unit. [PowerPoint]. ArizOTA Virtual Telehealth Special Interest Section Monthly Meeting, July.

REFERENCES

- Little, L. M., Pickett, K. A., Proffitt, R., & Cason, J. (2021). Keeping PACE with 21st century healthcare: A framework for telehealth research, practice, and program evaluation in occupational therapy. *International Journal of Telerehabilitation*, 13(1), <https://doi.org/10.5195.ijt.2021.6379>
- Occupational Therapy Licensure Compact. (2023). Compact map. Retrieved from <https://otcompact.org/compact-map/>
- Pol, M.C., ter Riet, G., Van Hartingsvekd, M., Krose, B., De Jooij, S.E., & Buurman, B. M. (2017). Effectiveness of sensor monitoring in an occupational therapy rehabilitation program for older individuals after hip fracture, the SO-HIP trial: Study protocol of a three-arm wedge cluster randomized trial. *Bio Med Central Health Services Research*, 17(3), 1-13. <https://doi.org/10.1186/s12913-016-1934-0>
- Taylor, R. R., O'Brien, J., Kielhofner, G., Lee, S.-W., Katz, B., & Mears, C. (2010). The occupational and quality of life consequences of chronic fatigue syndrome/myalgic encephalomyelitis in young people. *British Journal of Occupational Therapy*, 73(11), 524-530. <https://doi.org/10.4276/030802210x12892992239233>
- Tkach, M. M., Bowyer, P., Neville, M., Wolf, T. J., & Goodman, G. (2023). Predictors of hospital readmissions for people with chronic conditions. *The Open Journal of Occupational Therapy* 11(1), 1-10. <https://doi.org/10.15453/2168-6408.2045>

REFERENCES

- Tyszka, A. (2021). Using the COVID-19 pandemic to forge new paths for our profession through innovative program development [PowerPoint]. ArizOTA Virtual Telehealth Special Interest Section Monthly Meeting, April.
- Wallisch, A., Little, L., Pope, E., & Dunn, W. (2019). Parent perspectives of an occupational therapy telehealth intervention. *International Journal of Telehealth Rehabilitation, 111*), 15-23. <https://doi.org/10.5195.ijt2019.6274>
- Zahoransky, M. A. & Lape, J. E. (2020). Telehealth and home health occupational therapy: Clients' perceived satisfaction with and perception of occupational performance. *International Journal of Telerehabilitation, 2*, 105-124. <https://doi.org/10.5195/ijt.2020.6327>